

XI'AN OPT Communication CO.,Ltd				Test Data										
ID	Type	Test No.	Description	Test Standard	Radius of Curvature	Apex Offset	Fiber Height	APC-Angle	Key-Error	Fiber_Ra	Fiber_Rq	Ferrule_Ra	Ferrule_Rq	Result
					(mm)	(um)	(nm)	(deg)	(deg)	(nm)	(nm)	(nm)	(nm)	
Number of Samples: Minimum: Maximum: Mean: Standard Deviation:					29	29	29	0	0	0	0	0	0	
					12.93	19.64	-98.04	0	0	0	0	0	0	
					17.88	41.24	62.5	0	0	0	0	0	0	
					15.4534	27.9045	-57.94	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
					1.46719	5.28716	25.19	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
Pass number: Fail number: Percent of pass					33	33	29	0	0					29
					-4	-4	0	0	0	0	0	0	0	0
					113.79%	113.79%	100.00%	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	100.00%
1	2.5mm/PC	1111		IEC(最新)	14.34	32.25	-75.17	/	/	/	/	/	/	PASS
2	2.5mm/PC	1111		IEC(最新)	15.41	25.3	-65.3	/	/	/	/	/	/	PASS
3	2.5mm/PC	1111		IEC(最新)	15.25	24.66	-52.16	/	/	/	/	/	/	PASS
4	2.5mm/PC	1111		IEC(最新)	15.13	25.24	-73.65	/	/	/	/	/	/	PASS
5	2.5mm/PC	1111		IEC(最新)	15.25	25.76	-52.97	/	/	/	/	/	/	PASS
6	2.5mm/PC	1111		IEC(最新)	15.45	29.68	-59.88	/	/	/	/	/	/	PASS
7	2.5mm/PC	1111		IEC(最新)	15.45	29.68	-63.45	/	/	/	/	/	/	PASS
8	2.5mm/PC	1111		IEC(最新)	15.27	28.94	-61.89	/	/	/	/	/	/	PASS
9	2.5mm/PC	1111		IEC(最新)	15.45	28.23	-58.49	/	/	/	/	/	/	PASS
10	2.5mm/PC	1111		IEC(最新)	15.34	25.08	-51.63	/	/	/	/	/	/	PASS
11	2.5mm/PC	1111		IEC(最新)	15.45	28.23	-58.49	/	/	/	/	/	/	PASS
12	2.5mm/PC	1111		IEC(最新)	15.25	25.76	-52.97	/	/	/	/	/	/	PASS
13	2.5mm/PC	1111		IEC(最新)	17.81	25.96	-66.79	/	/	/	/	/	/	PASS
14	2.5mm/PC	1111		IEC(最新)	17.84	24.02	-60.26	/	/	/	/	/	/	PASS
15	2.5mm/PC	1111		IEC(最新)	17.88	26.11	-62.84	/	/	/	/	/	/	PASS
16	2.5mm/PC	1111		IEC(最新)	17.49	19.64	-55.24	/	/	/	/	/	/	PASS
17	2.5mm/PC	1111		IEC(最新)	13.9	37.37	62.5	/	/	/	/	/	/	PASS
18	2.5mm/PC	1111		IEC(最新)	13.49	37.42	-74.22	/	/	/	/	/	/	PASS
19	2.5mm/PC	1111		IEC(最新)	14	41.24	-59.11	/	/	/	/	/	/	PASS

20	2. 5mm/PC	1111		IEC(最新)	13. 98	32. 88	-63. 54	/	/	/	/	/	/	PASS
21	2. 5mm/PC	1111		IEC(最新)	13. 95	31. 49	-69. 43	/	/	/	/	/	/	PASS
22	2. 5mm/PC	1111		IEC(最新)	12. 93	29. 46	-98. 04	/	/	/	/	/	/	PASS
23	2. 5mm/PC	1111		IEC(最新)	13. 96	32. 65	-64. 87	/	/	/	/	/	/	PASS
24	2. 5mm/PC	1111		IEC(最新)	13. 76	32. 71	-68. 78	/	/	/	/	/	/	PASS
25	2. 5mm/PC	1111		IEC(最新)	17. 27	21. 82	-56. 85	/	/	/	/	/	/	PASS
26	2. 5mm/PC	1111		IEC(最新)	17. 27	21. 91	-56. 7	/	/	/	/	/	/	PASS
27	2. 5mm/PC	1111		IEC(最新)	17. 26	21. 98	-57. 56	/	/	/	/	/	/	PASS
28	2. 5mm/PC	1111		IEC(最新)	17. 24	21. 89	-57. 59	/	/	/	/	/	/	PASS
29	2. 5mm/PC	1111		IEC(最新)	15. 08	21. 87	-44. 92	/	/	/	/	/	/	PASS

Fiber num	Data num
29	29
Date	Time
2025/3/3	9:46:27
2025/3/3	9:47:49
2025/3/3	9:48:11
2025/3/3	9:48:33
2025/3/3	9:48:55
2025/3/3	9:49:06
2025/3/3	9:49:28
2025/3/3	9:50:10
2025/3/3	9:50:52
2025/3/3	9:51:04
2025/3/3	9:51:25
2025/3/3	9:51:57
2025/3/3	9:52:52
2025/3/3	9:53:07
2025/3/3	9:53:19
2025/3/3	9:53:20
2025/3/3	9:53:49
2025/3/3	9:54:21
2025/3/3	9:54:53

2025/3/3	9:55:02
2025/3/3	9:55:33
2025/3/3	9:56:05
2025/3/3	9:56:37
2025/3/3	9:57:09
2025/3/3	9:58:15
2025/3/3	9:58:25
2025/3/3	9:58:42
2025/3/3	10:00:09
2025/3/3	10:00:38